



DOVATO® MADE SIMPLE

A COMPLETE TWO-DRUG HIV REGIMEN - ONE TABLET DAILY

1

TAKE IT EVERY DAY

Take one tablet at the same time daily, with or without food.

2

DO NOT STOP ON YOUR OWN

NO UNPLANNED GAPS

Treatment gaps can allow HIV to rebound. Hepatitis B requires special planning before any change.

3

KNOW THE TWO-DRUG PLAN

Dovato contains dolutegravir and lamivudine. It is appropriate only for selected patients.

4

CHECK ANTACIDS & MINERALS

Calcium, iron, magnesium, and aluminum can affect dolutegravir absorption. Ask for exact timing.

5

CHECK METFORMIN & OTHER DRUGS

Dofetilide must not be used. Metformin and several other medicines may need dose or monitoring changes.

6

KEEP LABS & REFILLS ON TIME

Viral load, kidney function, liver health, and hepatitis B testing confirm the regimen remains appropriate.

MY DAILY DOVATO PLAN

My daily time: _____

My HIV clinician: _____

My next refill date: _____

MISSED A DOSE?

Take it as soon as you remember unless it is close to the next dose. Do not double. Call if you are unsure or may run out.

CALL RIGHT AWAY FOR

- Rash with fever, facial swelling, or trouble breathing
- Yellow skin or eyes, dark urine, or severe abdominal pain
- Severe weakness, fast breathing, or persistent vomiting
- A missed refill or treatment interruption
- New mood changes or thoughts of self-harm

WHO NEEDS EXTRA PLANNING

HEPATITIS B

Dovato alone is not adequate hepatitis B treatment. Additional HBV-active therapy may be needed.

ANTACIDS / MINERALS

Ask about exact separation. Calcium or iron may sometimes be taken together with food.

METFORMIN & DOFETILIDE

Dofetilide is contraindicated. Metformin exposure may rise and requires clinician review.

IMPORTANT SAFETY & SUCCESS REMINDERS

TWO-DRUG REGIMEN

Do not assume fewer drugs means weaker treatment; selection depends on resistance and history.

HEPATITIS TESTING

HBV status must be known before treatment and monitored if therapy changes.

PREGNANCY PLANNING

Tell the HIV clinician promptly about pregnancy plans or pregnancy.

PRIVACY & SUPPORT

Fairview provides discreet counseling and prevents avoidable refill gaps.



MY DOVATO® GUIDE

KEEP THIS PAGE WITH YOUR MEDICATIONS

MY TREATMENT PLAN

My name: _____

My daily time: _____

My HIV clinician: _____

Next refill date: _____

Next lab date: _____

ONE TABLET DAILY - NO UNPLANNED GAPS

IF I MISS A DOSE

- 1 Take it when you remember.
- 2 If the next dose is close, skip the missed dose.
- 3 Never take two tablets together.
- 4 Call early if insurance or travel may cause a gap.

CHECK BEFORE TAKING

ANTACIDS

Magnesium or aluminum products require separation.

CALCIUM / IRON

May be taken with food in some situations; confirm.

METFORMIN

Dose or monitoring may need adjustment.

OTHER HIV DRUGS

Dovato is a complete regimen for selected patients.

CALL MY CARE TEAM FOR

- Rash, fever, or facial swelling
- Yellow skin or eyes or dark urine
- Severe weakness or fast breathing
- New depression or self-harm thoughts
- A new medicine or supplement
- Any chance of missing refills

HEPATITIS B MATTERS

Dovato alone does not provide a full hepatitis B treatment plan. Never stop or switch without coordinated HIV and hepatitis B care.

CONFIRM HBV STATUS BEFORE CHANGES

FAIRVIEW SUPPORT

PRIVATE COUNSELING

Questions answered discreetly.

INTERACTION CHECKS

Every prescription and supplement reviewed.

REFILL PROTECTION

Call early if travel, insurance, or supply may cause a gap.

COST SUPPORT

Coverage and assistance options checked for your prescription.